

SUPPLEMENT TO

The Gazette of India



48] NEW DELHI, SATURDAY, DECEMBER 10, 1949

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 12th November, 1949.

INDIA							Bombay						
CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
INDIA							Bombay						
Madras							Bombay						
Trigapatam	Bombay	5
Chittoor	28	11	..	1	Ahmedabad
East Godavari	Kaira
West Godavari	11	Broach
Hydrabad	7	Panaji Mahala
Chittoor	48	6	Surat	5	5
Bellary	17	1	Thana
Chittoor	10	2	Bombay Suburban
Chittoor	4	4	Ahmednagar	27	2	2	..
Chittoor	19	5	5	3	East Khandesh
Chittoor	8	West Khandesh	4	3	1	..
Chittoor	5	Nasik	2	..
Chittoor	2	2	1	Poona	8	2	6	2
Chittoor	4	2	12	3	Satara	17	12	4	..	19	4
Chittoor	47	23	4	2	Sholapur	65	31
Chittoor	71	32	3	..	2	..	Belgaum	14	8
Chittoor	60	33	6	Bijapur	6	1	2	1
Chittoor	2	1	15	4	Dharwar	2
Chittoor	19	13	Kanara
Chittoor	69	39	Ratnagiri
Chittoor	20	5	Kolaba
Chittoor	Kolhapur	27	10
Chittoor	Baroda
Chittoor	Navasari
Chittoor	Dangs
Chittoor	Mehsana
Chittoor	4	1							
TOTAL	326	165	170	25	7	3	TOTAL	138	70	48	5	30	6
(Estd. mid-year pop. 52,929 thousands)							(Estd. mid-year pop. 22,880 thousands)						
Total for w/e 5-11-49	275	141	128	32	4	2	Total for w/e 5-11-49	179	49	39	6	49	12
Total for w/e 29-10-49	228	112	148	37	2	..	Total for w/e 29-10-49	117	32	33	7	49	17
7-yearly mean for the week	1,130	596	252	48	77	38	7-yearly mean for the week	114	58	40	7	113	41

Explanation of the symbols used :— C=Cases ; D=Deaths.

409

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the India States during the week ending the 12th Nov. 1949—*contd.*

CHOLERA						SMALLPOX						PLAGUE					
D.						C.						D.					
Bengal, West												Kheri					
Burdwan	12	Fyzabad	3			
Birbhum	Gonda			
Bankura	14	12	Bahraich			
Midnapur	82	43	..	2	..	Sultanpur			
Hooghly	18	3	Partabgarh			
Howrah	24	13	Bara Banki			
24-Parganas	1	TOTAL	35	18	46	13	54	27			
Calcutta	40	5	8	4	..	(Estd. mid-year pop.			
Nadia	15	10	59,132 thousands)			
Murshidabad	Total for w/e 5-11-49	126	71	16	3	20	0			
Malda	177	77	Total for w/e 29-10-49	161	85	9	4	22	4			
West Dinajpur	2	1	7-yearly mean for			
Jalpaiguri	the week.	195	114	14	2	56	28			
Darjeeling	Punjab, East											
TOTAL	385	164	8	6	..	Hissar			
(Estd. mid-year pop.	Rohtak			
22,669 thousands)	Gurgaon			
Total for w/e 5-11-49	372	143	16	8	..	Karnal			
Total for w/e 29-10-49	265	112	6	2	..	Ambala	4	1			
7-yearly mean for	Simla			
the week	402	217	21	10	..	Kangra			
United Provinces						Hoshiarpur	1			
Dehra Dun	Jullundur			
Saharanpur	12	4	..	Ludhiana			
Muzaffarnagar	Ferozepur	8	2			
Meerut	Amritsar			
Bulandshahr	11	1	..	Gurdaspur			
Aligarh	TOTAL	13	3			
Mathura	(Estd. mid-year pop.			
Agra	14,690 thousands)	21	1	1			
Mainpuri	Total for w/e 5-11-49			
Etah	Total for w/e 29-10-49	2	1	2			
Bareilly	13	5	..	7-yearly mean for	7	3	3			
Bijnor	the week.			
Budaun	Bihar											
Moradabad	5	2	..	Return not received.											
Shahjahanpur	3	3	Central Provinces											
Pilibhit	Nagpur	15	9			
Farrukhabad	Wardha			
Etawah	Chanda	80	21			
Kanpur	3	..	12	6	Chhindwara			
Fatehpur	3	1	Betul	1			
Allahabad	2	1	Bhandara	3	..	18			
Jhansi	Jubbulpore	1	..	52	25	..			
Jalaun	Saugor			
Hamirpur	Mandla	6	2	..			
Banda	6	1	Hoshangabad	142	28	..			
Benaras	Nimar			
Mirzapur	Balaghat	5	1	7			
Jaunpur	Raipur	1			
Ghazipur	Bilaspur			
Ballia	Drug			
Gorakhpur	13	9	15	9	Bastar			
Deoria	3	Surguja			
Basti	4	3	Raigarh			
Azamgarh	Amraoti	76	27			
Nainital	Yeotmal			
Almora	Akola			
Garhwal	Buldana	4			
Lucknow	6	..	2	TOTAL	172	57	14	1	225	55	..			
Unao	(Estd. mid-year pop.			
Rae Bareilly	5	5	1	..	17,666 thousands)			
Sitapur	5	1	4	3	Total for w/e 5-11-49	181	70	2	..	154	36	..			
Hardoi	1	4	3	Total for w/e 29-10-49	343	148	5	..	113	20	..			
							7-yearly mean for			
							the week	68	40	39	5	52			

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 12th Nov. 1949—*conold*.

CHOLERA								SMALLPOX								PLAGUE															
O.								D.								O.								D.							
Travancore and Cochin Union																Kashmir State															
Total																Return not received.															
Hyderabad State																Mysore State															
Adilabad																Bangalore															
Aurangabad																Chitaldrug															
Nanded																Hassan															
Bhils																Kolar															
Gulberga																Mandya															
Bidar																Mysore															
Osmanabad																Shimoga															
Warrangal																Tumkur															
Nizamabad																TOTAL															
Medak																Grand total for															
Mehbubnagar																Unions and States															
Nalgonda																Grand total for															
Hyderabad City																Provinces, Unions															
Karimnagar																and States															
TOTAL																TYPHUS															
One case and one death from typhus was reported during the w																															
from Calcutta in West Bengal.																															
Explanations of the symbols used:—O=Cases; D=Deaths.																															

One case and one death from typhus was reported during the week from Calcutta in West Bengal.

Explanations of the symbols used:—O=Cases; D=Deaths.

NEW DELHI 3 (INDIA);
The 5th December, 1949

S. P. JAIN,
for Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 100, 500, 1,000 and 5,000 and you can invest upto Rs. 75,000 in them (inclusive of any Post Office cash certificates held).

Full particulars obtainable from all post offices, District Organisers of the Small-Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Simla.

TODAY'S SAFEST AND MOST PROFITABLE INVESTMENT

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 5th November 1949.

Town	Mid-1949 Popn. Est. (000)	B.	B.R.*	Deaths from :—										Total	D.R.*	I. D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.						
A.—INDIA																
Madras																
Adoni	35	26	38.2	4	..	14	20.6	4			
Ambur	38	38	52.1	3	..	6	..	19	26.1	5			
Aruppukottai	36	47	68.0	7	1	16	23.1	6			
Bellary	63	15	12.3	2	5	2	23	18.9	3			
Cannanore	35	18	26.7	1	1	3	..	16	23.8	2			
Coimbatore	160	180	58.6	..	3	..	5	6	14	3	77	25.1	20			
Cuddalore	62	51	42.8	1	1	5	1	20	16.8	1			
Dindigul	67	46	35.8	1	1	1	3	33	25.7	7			
Eluru	71	27	19.7	2	..	4	1	33	24.1	6			
Erode	44	42	49.3	1	2	7	2	29	34.0	8			
Guddiyattam	39	26	34.4	4	1	2	..	12	15.8	1			
Guntur †																
Kakinada	83	36	22.6	2	3	2	1	21	13.2	3			
Kancheepuram	82	80	50.5	1	3	10	1	34	21.4	8			
Kozhikode	149	145	50.6	4	6	10	1	76	26.5	16			
Kurubakonam	71	80	58.7	1	4	..	27	19.8	6			
Kurnool	54	23	22.3	3	1	..	18	17.5	5			
Madras	998	1121	58.4	..	2	..	31	45	171	5	627	32.7	144			
Mangalore	93	85	47.5	..	1	..	5	1	8	1	46	25.7	12			
Masulipatam	61	36	30.7	2	..	3	..	27	23.1	5			
Mathurai	267	361	65.5	13	8	41	1	147	26.7	40			
Mayuram	33	35	54.6	5	7.8	..			
Melapalayam	32	7	4.2	8	4	3	..	22	13.3	6			
Nagapatnam	57	50	45.9	3	2	4	..	20	18.4	5			
Nellore†																
Palameottah	34	33	51.2	2	2	13	20.2	2			
Palghat †																
Rajahmundry	84	73	45.3	2	2	4	..	35	21.7	6			
Rajapalayam	53	42	41.5	10	1	1	26	25.7	2			
Salem †																
Srivilliputtur	37	38	54.1	3	3	1	..	26	37.0	5			
Tanjore	70	66	48.9	1	3	7	1	39	28.9	6			
Tellicherry	41	45	56.7	1	2	1	17	21.4	6			
Tenali †																
Tiruchirappalli	174	171	51.3	2	1	15	2	69	20.7	15			
Tirunelveli	64	47	38.4	1	1	10	..	29	23.7	5			
Tiruppur	46	32	36.5	2	1	2	..	18	20.5	6			
Tiruvannamalai	38	19	25.7	1	1	3	..	13	17.6	3			
Tuticorin	88	72	42.4	1	8	2	37	21.8	15			
Vaniyambadi	38	20	27.2	3	1	1	10	13.6	..			
Vellore	83	114	71.1	4	5	12	..	43	26.8	14			
Vijayavada	108	104	50.2	2	..	2	2	21	10.1	4			
Virudunagar	36	47	68.3	1	2	4	..	16	23.2	3			
Vizagapatnam	81	72	46.2	4	2	8	..	39	25.0	9			
Vizianagaram	58	61	55.1	1	2	4	..	29	26.2	14			
TOTAL	3,783	3,631	49.9	5	6	..	117	125	393	35	1,842	25.3	428			

* In cases of towns where there have been an abnormal movement of population it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B=Births ; B.R.=Birth rate ; C=Cholera ; S=Smallpox ; P=Plague ; F=Fever ; D. D.=Dysentery and Diarrhoea ; R.D.=Respiratory diseases ; D.R.=Death rate ; M.D.=Maternal Deaths ; I.D.=Infantile Deaths (included in total deaths).

† Figures not available.

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 5th November 1949—*contd.*

Deaths from :—														
Town	Mid-1949 Popn-Est. (000)	Deaths from :—												
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
A.—INDIA— <i>contd.</i>														
Bombay														
Ahmedabad	826	685	43.1	186	7	29	2	346	21.8	110	
Ahmednagar	64	68	54.9	1	6	2	8	2	38	31.3	14	
Amalner	44	34	40.2	5	...	2	...	11	13.0	2	
Bandra	97	70	37.4	1	2	8	2	38	20.3	12	
Baroda	184	171	48.4	48	2	9	6	87	24.6	21	
Bartl	41	66	34.6	8	...	2	1	24	30.6	4	
Belgaum	75	28	19.4	7	1	1	...	19	13.2	5	
Bhusawal	43	31	37.2	8	1	1	1	20	24.2	4	
Bijapur	57	47	43.1	2	1	2	1	12	11.0	4	
Bombay*	1,764	1,259	37.1	...	2	...	28	22	135	5	714	21.0	186	
Broach	74	60	42.3	8	1	7	1	27	19.0	7	
Cambay	37	29	46.0	11	...	1	...	15	21.0	7	
Dharwar	54	44	45.3	1	...	2	...	12	11.4	1	
Dhulia	65	30	24.9	10	1	2	2	26	20.9	10	
Gadag Betgeri	65	36	28.8	9	...	3	...	23	18.4	8	
Godhra	48	20	21.8	8	10	10.9	...	
Hubli	106	79	38.9	2	3	2	1	21	10.3	4	
Jalgaon	61	24	20.6	2	1	12	10.3	4	
Kalyan	36	7	10.2	2	1	1	...	9	13.2	...	
Kolhapur	112	56	25.9	11	2	3	1	51	23.6	9	
Kurla	46	37	41.5	4	...	2	...	11	12.3	2	
Malegaon	40	33	42.5	10	2	1	2	17	21.9	7	
Miraj	37	1	1.4	1	2	2	...	5	7.0	...	
Nadiad	56	50	46.0	16	...	1	...	27	25.1	8	
Nasik	58	67	60.2	3	2	7	2	40	35.9	3	
Navsari	45	39	45.4	11	2	16	18.1	3	
Pandharpur	37	46	65.4	5	4	11	...	32	45.5	5	
Parle Andheri	56	29	27.0	2	...	2	...	8	7.4	...	
Patan	42	41	50.8	7	3	1	...	16	19.8	3	
Poona	307	211	35.7	14	4	40	...	120	20.3	48	
Sangli	39	8	10.7	2	3	1	...	17	22.7	...	
Satara	40	25	32.9	3	...	3	1	19	25.0	6	
Sholapur	260	278	55.5	18	13	62	1	148	29.5	27	
Surat	232	233	52.3	22	3	16	6	84	18.8	25	
TOTAL	5,148	3,945	39.8	...	2	1	481	82	367	40	2,075	21.0	549	
Bengal, West														
Figures regarding infant deaths are not available.														
Asansol	67	16	12.4	1	...	4	3.1	†	
Bally	59	9	7.9	1	1	5	4.4	†	
Bankura	
Baranagar	69	40	30.2	1	3	3	4	...	20	15.1	5	
Berhampur	53	3	2.9	4	7	6.8	†	
Bhatpara	144	60	21.8	2	19	2	2	1	74	26.8	15	
Budge-Budge	39	14	18.6	3	4	1	...	12	15.9	†	
Burdwan	82	17	10.8	4	1	1	1	11	7.0	...	
Calcutta	2,896	1,071	19.3	15	2	...	109	84	241	14	399	16.2	...	
Champdani	37	4	5.6	1	1.4	†	
Garden-Reach	110	9	4.3	2	...	1	...	9	4.3	†	
Hooghly-Chinsura	63	49	40.7	5	5	2	...	26	21.6	†	
Howrah	508	121	12.4	5	20	20	50	1	203	20.8	65	
Kamarhati †	
Krishnagar	38	3	4.1	1	1	...	2	2.7	†	
Midnapur	52	24	23.9	3	3	2	1	...	23	22.9	5	
Nabadwip	40	26	33.6	1	14	...	1	1	23	29.7	†	
Naihati	51	12	12.1	1	...	2	...	6	6.1	...	
Serampur	69	33	25.0	5	4	4	3	1	35	25.0	†	
South Suburban	83	16	10.0	4	1	2	...	13	8.1	†	
Titagarh	64	30	24.5	28	1	34	27.7	5	
Tollygunj	87	9	5.4	1	0.6	†	
TOTAL	4,611	1,506	17.7	32	2	...	224	128	313	20	1,406	15.9	95	

* In the Statement for the week ending 24th Sept. 1949, deaths due to respiratory diseases in Bombay City may be corrected to 168 in place of 185 printed.

Explanation of symbols used : —B.=Birth, B.R.=Birth rate; C.=Cholera; S.=Smallpox, P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory diseases; M.D.=Maternal Deaths; D.R.=Death rate; I.D.=Infantile Deaths (included in total deaths).

† Figures not available.

Births and Deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 5th November 1949—*contd.*

Deaths from :—														
Town	Mid-1949 Popn. Est. (000)	B.	B. R.*	O.	S.	P.	F.	D. D.	R. D.	M. D.	Total	D. R.*	I. D.	
A.—INDIA— <i>contd.</i>														
United Provinces														
Agra	350	346	51.5	2	10	90	3	188	38.0	59	
Allahabad	318	195	32.0	2	4	46	3	98	16.1	31	
Amroha	65	33	26.4	3	3	7	..	17	13.6	6	
Bahraich	46	33	37.7	1	..	2	..	4	6.9	2	
Balrampur	49	6	6.4	2	3	3.2	..	
Banaras	302	339	58.5	101	17	22	8	244	42.1	57	
Bareilly	231	165	37.3	31	13	30	..	91	20.6	31	
Budaun	58	51	46.2	12	1	3	..	18	17.2	7	
Dehra Dun	102	63	32.2	4	3	3	..	17	8.7	4	
Etawah	58	49	43.9	7	1	18	..	44	39.4	12	
Faizabad-Ajodhya	58	20	17.9	2	1	8	7.1	2	
Farrukhabad-Fatehgarh	64	60	48.9	23	3	4	..	42	34.2	10	
Ferozabad	54	21	20.4	5	..	1	..	8	7.8	..	
Ghazipur	35	19	28.7	5	11	16.6	2	
Gorakhpur	108	54	26.1	14	1	2	..	25	12.1	5	
Hapur	46	61	69.3	11	6	4	..	21	28.0	8	
Hardwar-Union	70	53	39.2	15	4	2	..	27	20.0	7	
Hathras	56	55	51.4	15	3	12	..	40	37.4	18	
Jaunpur	51	32	32.8	5	..	2	..	13	13.3	..	
Jhansi	59	112	65.4	25	4	3	..	52	30.4	10	
Kanpur	678	399	30.7	..	1	..	181	40	56	8	450	34.6	134	
Khurja	41	30	38.2	2	1	..	3	..	22	23.0	10	
Koili-Aligarh	140	46	17.1	7	3	5	1	27	10.1	5	
Lucknow	477	272	29.7	32	9	23	..	120	13.1	33	
Mathura	99	114	60.1	2	22	2	13	1	49	25.8	18	
Meerut	158	132	43.7	9	5	15	1	42	18.9	12	
Mirzapur-Vindhyachal	80	72	47.1	23	7	9	..	58	28.0	10	
Moradabad	183	125	35.7	8	7	14	..	54	15.4	11	
Muzaffarnagar	64	37	30.0	11	1	3	..	22	17.9	9	
Pilibhit	52	45	44.9	2	7	4	7	..	40	39.9	14	
Saharanpur	166	160	50.4	35	1	4	..	54	17.0	17	
Sambhal	62	37	31.2	5	1	4	..	10	8.4	2	
Shahjahanpur	180	65	26.2	24	4	5	..	55	22.1	13	
Sitapur	37	6	22.8	5	1	8	11.4	2	
TOTAL	4,577	3,317	37.7	6	1	..	655	159	412	22	1,985	22.6	561	
Punjab, East														
Ambala	51	40	40.6	4	2	2	..	10	10.1	4	
Amritsar	495	196	20.7	39	20	49	..	211	22.2	70	
Batala	54	28	27.1	9	2	1	1	19	18.4	3	
Bhiwani	51	65	66.9	6	1	3	..	16	10.5	4	
Fazilka	36	27	38.6	..	1	2	..	4	5.7	1	
Ferozepore	47	27	30.0	8	..	12	13.3	4	
Hissar	31	30	49.7	6	..	2	..	8	13.2	2	
Hoshiarpur	43	28	34.3	1	1	1	..	7	8.6	1	
Jullundur	142	105	38.7	20	..	5	..	35	12.9	27	
Karnal	46	18	20.2	2	3	3.4	..	
Ludhiana	148	93	32.9	11	..	6	..	25	8.8	8	
Moga	36	24	34.5	1	..	3	4.3	1	
Panipat	42	45	56.0	6	..	1	..	7	8.7	5	
Rewari †	59	43	38.1	5	7	6.2	7	
TOTAL	1,281	769	31.2	..	1	..	109	26	81	1	367	14.9	137	

Explanation of symbols used :— B = Births ; B. R. = Birth rate ; C = Cholera ; S = Smallpox ; P = Plague ; F = Fevers ; D. D. = Dysentery and Diarrhoea ; R. D. = Respiratory diseases ; M. D. = Maternal Deaths ; D. R. = Death rate ; I. D. = Infantile Deaths (included in total deaths).

† Figures not available.

415

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 5th November 1949—*contd.*

Town	Mid-1949 Popn. Est. (000)	Deaths from :—										Total	D. R.*	I. D.
		B.	B. R.*	C.	S.	P.	F.	D.	D.	R. D.	M. D.			
A.—INDIA— <i>consolid.</i>														
<i>Returns not received.</i>														
Bihar														
Central Provinces and Berar														
Akola	75	86	25.0	11	1	2	22	15.3	1
Amraoti	75	83	57.8	4	11	2	4	39	27.2	..
Bilaspur	43	48	52.6	5	1	1	2	..	21	25.7	4
Burhanpur	62	43	35.9	8	1	16	13.4	..
Chanda	42	53	65.5	9	7	1	48	59.4	6
Damoh †														
Ellichpur †														
Hinganghat	33	34	53.6	5	4	1	34	53.6	4
Jubbulpore	170	42	12.8	..	1	..	9	..	6	1	..	30	9.2	1
Khandwa	42	35	43.6	8	1	18	22.4	..
Nagpur	293	181	32.2	1	35	8	11	1	..	109	19.4	32
Nagpur Civil Station	82	46	29.3	16	..	2	1	..	31	19.8	11
Raipur	79	19	12.6	2	2	7	4.6	..
Saugor †														
Wardha	36	35	51.0	1	3	1	..	12	17.5	..
Yestmal	31	40	66.7	13	34	57.0	8
TOTAL	1,063	690	33.8	6	1	..	135	27	33	6	..	421	20.6	67
Orissa														
Berhampur	48	45	48.2	9	3	2	25	26.8	5
Cuttack	82	90	57.6	12	5	..	3	..	47	30.1	5
Puri	44	35	41.7	7	9	6	1	..	37	44.0	4
TOTAL	174	170	50.8	28	17	8	4	..	109	32.6	14
Ajmer-Merwara														
Ajmer	170	94	28.7	9	4	13	33	15.4	8
Beawar	44	19	22.5	13	..	1	15	17.8	5
TOTAL	214	113	27.5	22	4	14	48	11.7	13
Delhi														
Delhi city	667	573	44.7	..	1	..	63	8	42	154	12.0	51
New Delhi	118	164	72.4	2	..	9	48	21.2	20
TOTAL	785	737	48.8	..	1	..	65	8	51	202	13.4	71
B.—UNIONS AND STATES														
Patiala and East Punjab States														
Patiala	82	47	29.8	16	1	7	†	..	36	28.8	†
Rajasthan Union														
Alwar	59	22	19.4	5	..	5	†	..	13	11.4	†
Bikaner	162	91	29.2	4	1	9	16	5.1	2
Jalpur	198	41	10.7	51	..	5	98	25.7	31
Jodhpur	154	34	11.5	9	2	2	27	9.1	..
Udaipur	71	16	11.7	..	1	..	7	16	11.7	..
TOTAL	644	204	16.5	..	1	..	76	3	21	170	13.7	33
Saurashtra Union														
Jamnagar	65	123	75.2	..	1	..	32	7	4	63	49.6	..
Junagadh	73	40	28.5	11	..	2	26	18.5	..
Porbandar	61	17	14.5	14	..	1	23	19.6	8
TOTAL	219	180	42.7	..	1	..	57	7	7	117	27.8	8

Explanation of symbols used :—B.=Births; B. R.= Birth rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D. D.=Dysentery and Diarrhoea; R. D.=Respiratory Diseases; M. D.=Maternal deaths; D. R.= Death rate; I. D.=Infantile Deaths († included in total deaths).

† Figures not available.

Births and deaths from principal diseases in towns with a population of over 30,000 in the provinces of India and some of the Indian States for the week ending the 5th November, 1949—*contd.*

Town	Mid-1949 Popn.-Est. (000)	Deaths from											D.R.*	I.D
		B.	B.R.*	C.	S.	P.	F.	D. D.	R. D.	M.D.	Total			
B.—UNIONS AND STATES—contd.														
Travancore and Cochin Union														
Alleppey	67	62	48.3	2	...	4	...	23	17.9	3	
Ernakulam	55	44	41.4	2	7	6.6	1	
Kottayam	49	23	29.9	2	13	16.8	3	
Mattancheri	65	49	39.3	4	...	4	1	20	16.1	3	
Nagercoil	59	35	30.9	2	2	2	...	13	10.6	3	
Quilon	63	57	47.3	3	4	1	14	11.6	2	
Trichur	67	38	29.3	2	...	4	...	8	6.2	...	
Trivandrum	155	201	67.3	8	1	2	...	28	9.4	2	
Total	671	509	46.4	22	6	20	2	125	24.0	17	
Mysore State														
Bangalore City	312	250	41.7	4	18	14	...	103	17.2	28	
Kolar Gold Fields	174	90	26.8	...	1	...	5	1	3	...	45	13.4	...	
Mysore City	187	80	26.1	3	1	10	69	22.5	...	
TOTAL	673	420	32.5	3	1	...	10	29	17	...	217	17.2	28	
ARREAR RETURNS														
Information about infant deaths not available.														
Bengal West														
For w/e the 22nd October, 1949														
Bally	67	13	10.1	2	2	1.6	...	
Baranagar	69	37	28.0	3	9	4	...	20	15.1	...	
Berhampur	53	6	5.9	3	...	2	...	17	16.6	...	
Bankura	59	6	5.3	1	0.9	...	
Bhatpara	144	64	23.2	12	...	3	1	56	20.3	...	
Budge-Budge	39	3	4.0	4	4	11	14.6	...	
Burdwan	82	6	3.8	6	1	3	1	17	10.8	...	
Calcutta	2,898	1,407	25.3	11	2	...	113	88	105	8	830	14.9	...	
Champdani	37	10	14.0	4	1	...	1	...	8	11.2	...	
Garden-Reach	110	7	3.3	5	3	1	...	21	10.0	...	
Hooghly-Chinsura	63	34	28.3	5	5	2	3	25	20.8	...	
Howrah	508	124	12.7	11	19	27	61	1	224	23.0	...	
Krishnagar	38	4	5.4	
Nabadwip	40	17	22.0	2	1	1	2	10	12.9	...	
Naihati	52	3	3.0	1	4	4.0	...	
Serampur	69	24	18.2	2	4	6	3	...	30	22.7	...	
South Suburban	63	13	8.7	3	4	1	...	18	11.2	...	
Titagarh	64	31	25.3	1	28	1	1	1	34	27.7	...	
Tollygunj	87	14	8.4	2	1.2	...	
TOTAL	4,560	1,823	20.8	*30	2	...	208	151	288	17	1,330	15.2	...	
Bombay														
For w/e														
Jalgaon 22-10-49	61	35	30.1	4	1	1	2	16	13.8	2	
Central Provinces														
Nagpur 15-10-49	293	170	30.2	32	9	7	1	130	23.1	25	
" 22-10-49	"	296	52.6	29	4	3	2	142	25.2	26	
" 29-10-49	"	264	46.9	1	66	13	12	2	177	31.5	35	
Nagpur civil Station 15-10-49	82	61	38.9	12	2	13	11.1	4	
" 22-10-49	"	44	28.1	8	...	1	...	17	10.9	...	
" 29-10-49	"	67	42.8	9	2	2	...	23	14.7	1	
Raipur 29-10-49	79	40	26.5	5	9	6.0	...	
Jammu and Kashmir State														
Information about maternal and infant deaths not available														
Jammu 2-7-49	61	22	18.8	10	6	2	...	24	20.5	...	
" 9-7-49	"	27	23.0	7	2	3	...	17	14.5	...	
" 16-7-49	"	23	19.6	6	1	1	...	11	9.4	...	
" 23-7-49	"	35	29.8	2	1	2	...	9	7.7	...	
" 30-7-49	"	29	24.7	7	2	10	8.5	...	
" 6-8-49	"	29	24.7	1	1	9	7.7	...	
" 13-8-49	"	39	33.2	11	5	29	24.7	...	
" 20-8-49	"	38	32.4	10	2	2	...	24	20.5	...	
" 27-8-49	"	23	19.6	14	2	4	...	26	22.2	...	
" 3-9-49	"	43	36.7	9	5	2	...	22	18.8	...	
" 10-9-49	"	44	37.5	13	2	19	16.2	...	
" 17-9-49	"	53	45.2	8	4	4	...	22	18.8	...	
" 24-9-49	"	37	31.5	10	1	2	...	14	11.9	...	

Explanation of symbols used :—B.=Births ; B.R.=Birth rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and diarrhoea ; R.D.=Respiratory diseases ; M.D.=Maternal deaths ; D.R.=Death rate ; I.D.=Infant deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for the week ending the 5th November 1949 relate to 182 towns with an estimated population of 23,825 thousands. The total number of towns is 216 and their population is 26,382 thousands. Thus 84% of the total number of towns representing 90% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 16,295 and 9,120 representing birth and death rates of 35.6 and 19.9 per thousand of population respectively.

(A) *Indian Provinces.*—The data here relate to 162 towns with an estimated population of 21,636 thousands. Information for Bihar and Assam could not be included. The total number of towns is 192 and their population is 23,759 thousands. Thus 84% of the total number of towns representing 91% of the total population is covered. The numbers of births and deaths recorded in these towns were 14,935 and 8,455 representing birth and death rates of 35.9 and 20.3 per

thousand of population respectively. The table at the end gives the position by provinces.

The towns of Chanda, Yeotmal and Hinganghat in C.P. recorded high death rates of 59.4, 57.0 and 53.6 respectively. In Yeotmal the high death rate was largely due to deaths from fevers. In Chanda and Hinganghat the high death rates were not due to any one of the specified causes.

(B) *Unions and States.*—The data here relate to 20 towns with an estimated population of 2,189 thousands. The total number of towns is 24 and their population is 2,623 thousands. Thus 83% of the total number of towns representing 83% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,360 and 665 representing birth and death rates of 32.3 and 15.8 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

Provinces	Current w/e 5-11-49		Corresponding w/e last year		Corresponding mean during the previous 5 years period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Madras	49.9	25.3	47.9	25.4	43.3	24.5
Bombay	39.8	21.0	37.9	19.0	41.3	24.8
Bengal, West	17.7	15.9	17.6	17.5	16.2	15.6
U. P.	37.7	22.6	40.0	23.2	47.5	25.4
Punjab, East	31.2	14.9	31.5	14.5	39.5	17.3
G. P.	33.8	20.6	35.9	20.7	43.3	27.3
Orissa	50.8	22.6	24.	19.2	33.5	29.5
Ajmer-Merwara	27.5	11.7	31.1	16.1	54.5	25.2
Delhi	48.8	13.4	51.6	12.0	48.3	14.9
Indian Provinces	35.9	20.3	35.9	19.7	37.4	22.2

New Delhi 3 (INDIA) ; }
The 5th December 1949. }

S. P. JAIN,
for Registrar General, India.